3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 150 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for restoring Halwagal-Dodkere, Registered No. 120, Hassan Taluk, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Detail abstract estimate of Halwagal-Dodkere, Registered No. 120 of Hassan Taluk.

Serial No.	Items of work	Per	Quantity
	Bund R. L. 56·00 top width 6 feet.		
1	Earthwork, raising bund including cutting steps and grips watering and tamping, etc.	C. yd.	75·50
2	Turfing	S. yd.	14,794
3	New grade stones, complete	No.	26
4	Index stones	"	26
5	B. M. stones	"	2
6	Year and date stone	"	1
7	Gauge stone	"	1
8	Registered number stone	"	1
	Sluice (old.)		
9	Repairing the existing sluice	L. S. Rs.	
	Sluice (new).		
10	Earthwork cutting bund	C. yd.	309
11	Excavating foundation	"	17
12	Burnt brick in surki	C. ft.	784
13	Burnt stone slabs 4" thick	S. ft.	143
14	Do 6" do		157
15	Concreting	C. ft.	89
16	Providing plug and rod	L. S. Rs.	
17	Driling holes	No.	4
18	Earthwork refilling	C. yd.	180
19	Surki plastering	Sqr.	4·00
	Weir.		
20	Earthwork clearing high ground excavating foundation cutting draft channel, etc.	L. S. Rs.	
21	Surki concrete	C. ft.	356
22	Burnt brick in surki	"	1,744
23	Burnt stone slabs	S. ft.	179
24	Rough stone work	C. yd.	273
25	Filling boulders, jelly, etc.	"	15
26	Surki plastering	Sqr.	2·00

R. W. SCALDWELL,
Executive Engineer.

SHIMOGA DIVISION.

Dated 21st May 1918.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Shimoga Division, up to 1st July 1918, for opening out Channagiri-Sivani road. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1919.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Shimoga, between the hours of 11 A.M. and 5 P.M., on all working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 1,600 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for opening out a road from Channagiri to Shivani" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Opening out Channagiri-Sivane road, Channagiri Taluk.

Items of work	Per	Quantity
Earthwork forming in ordinary soil	C.yd.	11,367
Do in gravelly soil	"	4,050
Do cutting in ordinary soil	"	1,150
Do do in gravelly soil	"	539
Do embankment in ordinary soil	"	20,128
Do do in gravelly soil	"	2,552
Do cutting side drains, ordinary soil	"	3,728
Do do in gravelly soil	"	1,804
Do cutting check drains in ordinary soil	"	7,579
Do in gravelly soil	"	2,684
Turfing for the slopes of embankment	Sq.	1,048
Earthwork cutting shoulder drains in ordinary soil	C. yd.	175
Do do in gravelly soil	"	68
Clearing jungle of 3rd class	Mile	1¾
Do of 4th class	"	1$\frac{1}{28}$
Gravelling over the road surface including carting ¾ miles spreading, watering and consolidation, etc., complete.	C. yd.	12,073
Mile stone including zero stone as per standard design	Each	14
Furlong stones do do	"	96
Taluk boundary stones as per standard design	"	1
District boundary stone do	"	1
Finger post do do	"	1
Removing boulders and rocks here and there	L. S.	Rupees.
Hutting or shedding wherever necessary	"	"
Surveying aligning charges	"	"
Making temporary roads	"	"
Earthwork excavation	C. yd.	19
Burnt stone in chunam	C. ft.	948
Burnt stone slabs dressed 4" to 6" thick	S. ft.	262
Pointing with chunam	Sqr.	4·18
Rough stone sujicut work dry	C. yd.	6
Fixing cut stone caps over pedestals	Each	4
Date and tunnel No. stone	"	1
Similar abstract for other 33 tunnels with slight differences in quantity and change of place.	...	...
Rough stone masonry causeway in ¼	L. S.	Rupees.
Similarly for other 3 rough stone masonry causeway	L. S.	...

N. B.—All works estimated L. S should be done at usual or tendered rates for various kinds of works as per instructions on the spot by the officers in charge.

Dated 21st May 1918.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Shimoga Division, up to 1st August 1918, for the Improvements to Jog Falls "constructing first class musafirkhana at Jog." An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1919.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Shimoga, between the hours of 11 A.M. and 5 P.M., on all working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 520 in cash or Government Promissory Notes as earnest money, and be superscribed "Tender for constructing first class musafirkhana at Jog," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract for first class musafirkhana at Jog Falls.

Items of work	Per	Quantity
Clearing site and levelling ground	Lump sum	Rs.
Earthwork excavating, foundation and filling in basement	C. yd.	103
Trap stone in mortar filling in foundation	C. ft.	2,776
Do basement and superstructure with joint, dressed ...	"	8,581
Coping over compound wall and pillars stone	R. ft.	117
Chunam plastering	Sq.	116·71
Burnt stone slabs, dressed	S. ft.	639
Teakwood doors battened shutters, etc., complete	"	455
Teakwook windows with iron bars and panelled shutters, etc., complete ...	"	105
Teakwood gate with double shutters, etc., complete	Lump sum	Rs.
Teakwood wrought and put up	C. ft.	214·2
Teakwood eave boards	R. ft.	433
Roofing with first class Mangalore tiles on teak reepers, etc., complete ...	Sq.	27·74
Ridge tiles set in mortar and pointed	R. ft	193
Flooring with first class Mangalore tiles on 3" metal concrete and pointed ...	Sq.	20·75
White and color washing	"	116·71
Tarring to woodwork, included in masonry	"	15·00
Chocolate painting to doors, windows and eave boards	"	18·25
Date stone	Each	1
Unforseen and minor works including finials barge boards, drains cistern, gutters, etc., etc., as decided on the spot by the officer in charge or the Executive Engineer.	Lump sum	Rs.

N.B.—All works estimated lump sum should be done at usual or tendered rates for various kinds of works as per instructions on the spot by the officers in charge.

Dated 21st May 1918.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Shimoga Division, up to 31st August 1918, for constructing six School Masters' Quarters at Kallurkatte, Nagar Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1919.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Shimoga between the hours of 11 A.M. and 5 P.M., on all working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the diffetent items specified will be executed.

4. Each tender much be accompanied by a deposit of Rs. 975, in cash or Government Promissory Notes, as earnest money and be suprescribed "Tender for constructing six School Masters' Quarters at Kallurkatte, Nagar Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Constructing Officials' Quarters for six School Masters at Kallurkatte, Nagar Taluk.

Items of works	Per.	Main building of two quarters in one block	Out house for one quarters	Total
Clearing site levelling ground	L. S.	Rs.		
Earthwork excavating foundations	C. yd.	57	9	66
Burnt stone in mortar filling foundation	C. ft.	2,774	341	3,115
Burnt brick in mortar superstructure	„	4,198	95	4,293
Burnt stone slabs, 5" and 6" thick, dressed and fixed ...	S. ft.	581	30	611
Cuddappah stone slabs, 2" thick for sill of doors and windows	„	„	„	„
Teakwood work wrought and put up	C. ft.	126·0	16·30	142·30
Roofing with 1st class Mangalore tiles on teak reepers including chunam borders.	Sq.	27·72	4·25	32·00
Plastering with mortar	„	65·22	10·37	75·50
Flooring with Cuddappah slabs on 3" concrete and cement pointing.	„	2·46	0·80	3·26
Paving Mangalore floor tiles, 9" sqr. ...	„	9·60	„	9·60
Filling concrete for floors and plastered with mortar ...	„	1·60	0·75	2·35
Teakwood battened door with necessary fittings ...	S. ft.	319	„	319
Teakwood battened windows with ¾" iron bars and necessary fittings.	„	120	9	129
Chacolate painting, inclusive verandah	Sq.	11·32	0·52	11·84
Tarring	„	5·75	2·00	7·75
Constructing small and big cisterns both in bath and kitchen.	L. S.	Rs.		
Mangalore ridge tiles set in mortar	R. ft.	132	22	154
Pointing with chunam	Sq.	430	0·65	4·95
Mangalore ventilating tiles	Each	20	2	22
Dressing verandah pittars and cutting grooves ...	L. S.	Rs.		
Teakwood eave board, (9"×1"), ordinary	R. ft.	184	46	230
Burnt brick in clay superstructure ...	C. ft.	...	456	456
Teakwood ledged door	S. ft.	..	23	23
Teakwood ventilators with cross iron bars ...	„		3	3
Whitewashing	Sq.	65.22	10·37	75·59
Similar blocks 2. Total 3 Blocks.				

N.B.—All works estimated L. S. should be done at usual or tendered rates for various kinds of works as per instructions on the spot by the officers in charge.

V. R. NIJAGAL,
Executive Engineer.

CHITALDRUG DIVISION.

Dated 24th May 1918.

"The attention of contractors is drawn to advertisement dated 30th March 1918, *vide* pages 279 and 280, Part IV of *Mysore Gazette*, dated 4th April 1918, calling for tenders for constructing a kitchen block for the High School Students' Home at Chitaldrug. Tenders will be received up to 10th June 1918."

N. ANANDALVAR,
Executive Engineer.

DISTRICT, MUNICIPAL AND LOCAL BOARDS.

TUMKUR DISTRICT.

Abstract Notification dated 12th May 1918.

It is hereby notified for general information that the right of collecting toll on carts entering the Municipality of Tiptur for a period of one year from 1st July 1918 to the 30th June 1919, will be sold by public auction by the Assistant Commissioner, Gubbi Sub-Division, or other officer deputed for the purpose by the Deputy Commissioner at the Tiptur Taluk Office at 2 o'clock on Tuesday the 18th June 1918.

	Rs.	a.	p.
1. On a double bullock cart, laden	0	2	0
2. Do empty	0	1	0
3 On a single bullock cart, laden or empty ...	0	1	0

For the conditions of sale, *vide* previous issue of the *Mysore Gazette.*

Abstract Notification dated 12th May 1918.

It is hereby notified for general information that the right of collecting tolls at the toll-gate at Nidasale on the Tumkur-Maddur road for twelve months from 1st July 1918 to 30th June 1919, will be sold by public auction at the Taluk Office, Kunigal, on 19th June 1918, at 2 P.M., by the President, District Board, or other officer appointed by the Deputy Commissioner for the purpose.

For the rates of toll and the conditions of sale, *vide* previous issue of the *Mysore Gazette.*

A. SUBRAMANYA IYER,
President of Municipalities.